

中国秋海棠属植物两新记录种^{*}

杨珍珍^{1,4}, 周仕顺², 李智宏³, 汪健¹, 陈文红¹, 税玉民^{1**}

(1 中国科学院昆明植物研究所东亚植物多样性与生物地理学重点实验室, 昆明 650201; 2 中国科学院西双版纳热带植物园, 云南 蒙自 666303; 3 普洱国家公园管理局, 云南 普洱 665099; 4 中国科学院大学, 北京 100049)

摘要: 报道了中国秋海棠属两个新记录种: 钩翅秋海棠 *Begonia demissa* Craib 和抱茎叶秋海棠 *Begonia subperfoliata* Parish ex Kurz, 两个种分别属于小秋海棠组 *Begonia* sect. *Parvibegonia* A. DC. 和东亚秋海棠组 *Begonia* sect. *Diploclinium* (Wight) A. DC.。钩翅秋海棠和抱茎叶秋海棠模式产地分别为泰国和缅甸, 两个种的地理新分布分别为云南省西双版纳傣族自治州的勐腊县勐远村和普洱市六顺镇。

关键词: 钩翅秋海棠; 抱茎叶秋海棠; 中国; 新记录

中图分类号: Q 949

文献标志码: A

文章编号: 2095-0845(2015)04-425-03

Two New Records of *Begonia* L. (Begoniaceae) from China

YANG Zhen-zhen^{1,4}, ZHOU Shi-shun², LI Zhi-hong³, WANG Jian¹,
CHEN Wen-hong¹, SHUI Yu-min^{1**}

(1 Key Laboratory for Plant Diversity and Biogeography of East Asia, Kunming Institute of Botany, Chinese Academy of Sciences, Kunming 650201, China; 2 Xishuangbanna Tropical Botanical Garden, Chinese Academy of Sciences, Menglun, Yunnan 666303, China; 3 Management Department of Puer National Park, Pu'er, Yunnan 665099, China;
4 University of Chinese Academy of Sciences, Beijing 100049, China)

Abstract: Two species of *Begonia* L. (Begoniaceae), viz. *Begonia demissa* Craib and *Begonia subperfoliata* Parish ex Kurz are reported as new records in China, and the two species assigned to *Begonia* sect. *Parvibegonia* A. DC. and *Begonia* sect. *Diploclinium* (Wight) A. DC. respectively. The type locality of *Begonia demissa* is in Thailand and of *Begonia subperfoliata* in Myanmar. The distribution of *Begonia demissa* is now extended to Mengyuan, Mengla County of Xishuangbanna Dai Autonomous Prefecture and that of *Begonia subperfoliata* to Liushun Community, Pu'er City, both in Yunnan province, China.

Key words: *Begonia demissa* Craib; *Begonia subperfoliata* Parish ex Kurz; China; New record

During a botanical investigation in Xishuangbanna and adjacent areas, Yunnan Province, China, in 2014, we collected two unidentified specimens of *Begonia* L. (Begoniaceae). By comparison with specimens in herbaria (BM, E, K, PE and KUN) and related taxonomic literature dealing with the flora of China and adjacent regions (Smith et

al., 1986; Doorenbos et al., 1998; Shui et al., 2002; Ku et al., 2007; Phutthai, 2011), we identified the specimens as *Begonia demissa* Craib (*Begonia* sect. *Parvibegonia* A. DC.) and *Begonia subperfoliata* Parish ex Kurz (*Begonia* sect. *Diploclinium* (Wight) A. DC.), which represent two new records of the species in China. This discovery greatly

* Funding: The National Natural Science Foundation of China (31070174, 31370228), the Open Project of Key Laboratory of Plant Diversity and Biogeography of East Asia, Kunming Institute of Botany (KLBB201205)

** Author for correspondence; E-mail: ymshui@mail.kib.ac.cn

Received date: 2014-09-26, Accepted date: 2015-01-06

作者简介: 杨珍珍 (1990-) 女, 硕士研究生, 主要从事植物系统分类学研究。E-mail: yangzhenzhen@mail.kib.ac.cn

extends the distribution range of these species of *Begonia* L. into China. Voucher specimens have been deposited at the herbarium of the Kunming Institute of Botany, Chinese Academy of Sciences (KUN) and Xishuangbanna Tropical Botanical Garden, Chi-

nese Academy of Sciences (HITBC).

1 钩翅秋海棠 (新拟) (Fig. 1: A-D)

Begonia demissa Craib, Kew, Bulletin of miscellaneous information. 1930: 409. 1930; Craib,




Fig. 1 *Begonia demissa* Craib and *Begonia subperfoliata* Parish ex Kurz

A-D: *Begonia demissa*, A. Plants in their habitat; B. Side view on ovary; C. Male flowers; D. Female flowers.

E-F: *Begonia subperfoliata*, E: Plants in their habitat; F: Fruits. (A-D by SHUI Yu-min, E-F by LI Zhi-hong)

Contributions to the flora of Siam. 1: 773. 1931; Smith et al., Begoniaceae, Part I: Illustrated Key, Part II: Annotated Species List, Fig. 11. 16, 158. 1986; Hughes, An Annotated Checklist of Southeast Asian *Begonia*, 33. 2008; Phutthai, The genus *Begonia* L. (Begoniaceae) in Thailand, Fig. 64, 131. 2011.

Type: Thailand, Ratchaburi, Kanburi, Bawre, 21 Jul. 1926, Put 218 (holotype, ABD; isotype, K!)

Specimens: **China. Yunnan (云南)**: Xishuangbanna (西双版纳), Mengla County (勐腊县), Mengyuan (勐远村), alt. 500 m, 21°42'31" N, 101°22'52" E, 15 Jul. 2014, Y. M. Shui et al. (税玉民等) B2014-174 (KUN); same place, alt. 520 m, 21°42'35" N, 101°22'52" E, 15 Jul. 2014, Y. M. Shui et al. (税玉民等) B2014-175 (KUN).

Distribution: This species usually grows on humid limestone under forests.

Diagnostic characters: *Begonia demissa* can easily be distinguished from other species of sect. *Parvibegonia* by the narrowly ellipsoidal and unciform major fruit wing (Smith et al., 1986; Phutthai, 2011).

2 抱茎叶秋海棠 (新拟) (Fig. 1: E-F)

Begonia subperfoliata Parish ex Kurz, The Journal of the Asiatic Society of Bengal, 42 (2): 81. 1873; Smith et al., Begoniaceae, Part I: Illustrated Key, Part II: Annotated Species List, Fig. 2. 35, 238. 1986; Hughes, An Annotated Checklist of Southeast Asian *Begonia*, 125. 2008; Phutthai, The genus *Begonia* L. (Begoniaceae) in Thailand, Fig. 135, 276. 2011.

Type: Myanmar, Moulmein, 1862, G. S. P. Parish s. n. (syntype, K!, P).

Specimens: **China. Yunnan (云南)**: Simao City (思茅市) (2007, name changed to Pu'er City),

Cuiyun Community (翠云乡), 18 Jan. 2005, S. S. Zhou (周仕顺) 2133 (HITBC); same place, 18 Jan. 2005, S. S. Zhou (周仕顺) 2408 (HITBC); Pu'er City (普洱市), Liushun Community (六顺镇), alt. 1230 m, 22°37'31" N, 100°43'25" E, 22 Jul. 2014, Y. M. Shui et al. (税玉民等) B2014-247 (KUN); Liushun Community (六顺镇), Xianren Cave (仙人洞), alt. 1250 m, 22°36'21" N, 100°42'38" E, 22 Jul. 2014, Y. M. Shui et al. (税玉民等) B2014-248 (KUN).

Distribution: This species usually grows on humid limestone or other humid places under forests.

Diagnostic characters: *B. subperfoliata* can be distinguished from other species of sect. *Diploclinium* by its peltate and glabrous leaves with a symmetrical base (Smith et al., 1986; Phutthai, 2011).

Acknowledgements: We thank Dr. Michael Möller in Royal Botanic Garden, Edinburgh for revising the manuscript and Dr. Zhu Hua in Xishuangbanna Tropical Botanical Garden, Chinese Academy of Sciences for help in checking the specimens at HITBC.

Reference:

- Doorenbos J, Sosef MSM, de Wilde JJFE, 1998. *The Sections of Begonia, Including Descriptions, Keys and Species Lists (Studies in Begoniaceae VI)* [M]. Wageningen Agricultural University Papers, 2: 6—256
- Ku TC, Peng CI, Turland NJ, 2007. Begoniaceae [A] // Wu ZY, Raven PH, Hong DY eds., *Flora of China* [M]. Beijing: Science Press; St. Louis: Missouri Botanical Garden Press, Vol. 13: 153—207
- Phutthai T, 2011. The genus *Begonia* L. (Begoniaceae) in Thailand [D]. Degree of Doctor of Philosophy in Biology, Prince of Songla University
- Shui YM, Peng CI, Wu CY, 2002. Synopsis of the Chinese species of *Begonia* (Begoniaceae), with a reappraisal of sectional delimitation [J]. *Botanical Bulletin of Academia Sinica*, 43: 313—327
- Smith LB, Wasshausen DC, Golding J et al., 1986. *Begoniaceae*, Part I: *Illustrated Key*, Part II: *Annotated Species List* [M]. Smithsonian Contributions to Botany, 60: 1—584